

In accordance with EU Regulation No. 305/2011 is presented



DECLARATION OF CONFORMITY

Manufacturer: **Agencia de Energia Alternativa 2020 SL**
Cl. Almoravides 17, C. 25
CINUELICA R16
03189 ORIHUELA COSTA
ALICANTE, SPAIN (EU)
Web: www.aea2020.eu

The product

NANOTER CONCRETE
Product no. 20/2
Thermal insulation with reinforced surface

Technical specifications:

Basis:	acrylic copolymer dispersion water-based acrylic dispersion
Density:	0.52-0.58 g/m ³
Specific thermal conductivity λ :	0.0012 W/m ² *K
Viscosity (Brookfield, LV4 50rpm):	21,000 to 30,000 mPa*s
Adhesion (on concrete):	1.1 Mpa
Volatile organic compounds (VOC):	max 0.3 g/l
Reflectivity:	up to 95 % (by different spectra 70 - 95%)
Vapor permeability δ :	$2 \cdot 10^{-12}$ kg/(Pa·m·s)
Temperature resistance (environment):	-60 °C to +150 °C (short-term up to 200 °C)

Hereby manufacturer certifies that its coating NANOTER CONCRETE can be used on interior and exterior surfaces - various mineral surfaces such as plaster, lightweight blocks, brick, etc., also metal, wood, plastic, and that the product has been tested in accordance with the standards: EN ISO ICS group 87

Year of affixing the CE marking: 2020.

Orihuela Costa
Alicante, SPAIN

01.11.2020



Fero Hanikat
CEO